Online Supplement

Choi, A. Y., Israel, T., & Nylund-Gibson, K. (2020). Syndemic behavioral risk and suicidality among bisexual adolescents: A latent class analysis. *Journal of Consulting and Clinical Psychology*.

List of Original Items Selected from the 2015 Youth Risk Behavior Surveillance System (YRBSS): Bisexual Adolescent Syndemic Behavioral Risk Latent Class Analysis Models

SEXUAL RISK

- 91. Have you ever been tested for HIV, the virus that causes AIDS? (Do **not** count tests done if you donated blood.)
 - A. Yes
 - B. No
 - C. Not sure
- 63. How old were you when you had sexual intercourse for the first time?
 - A. I have never had sexual intercourse
 - B. 11 years old or younger
 - C. 12 years old
 - D. 13 years old
 - E. 14 years old
 - F. 15 years old
 - G. 16 years old
 - H. 17 years old or older
- 64. During your life, with how many people have you had sexual intercourse?
 - A. I have never had sexual intercourse
 - B. 1 person
 - C. 2 people
 - D. 3 people
 - E. 4 people
 - F. 5 people
 - G. 6 or more people

- 65. During the past 3 months, with how many people did you have sexual intercourse?
 - A. I have never had sexual intercourse
 - B. I have had sexual intercourse, but not during the past 3 months
 - C. 1 person
 - D. 2 people
 - E. 3 people
 - F. 4 people
 - G. 5 people
 - H. 6 or more people
- 66. Did you drink alcohol or use drugs before you had sexual intercourse the **last time**?
 - A. I have never had sexual intercourse
 - B. Yes
 - C. No

SUBSTANCE USE

- 49. During the past 30 days, how many times did you use marijuana?
 - A. 0 times
 - B. 1 or 2 times
 - C. 3 to 9 times
 - D. 10 to 19 times
 - E. 20 to 39 times
 - F. 40 or more times
- 33. During the past 30 days, on how many days did you smoke cigarettes?
 - A. 0 days
 - B. 1 or 2 days
 - C. 3 to 5 days
 - D. 6 to 9 days
 - E. 10 to 19 days
 - F. 20 to 29 days
 - G. All 30 days
- 43. During the past 30 days, on how many days did you have at least one drink of alcohol?
 - A. 0 days
 - B. 1 or 2 days
 - C. 3 to 5 days
 - D. 6 to 9 days
 - E. 10 to 19 days
 - F. 20 to 29 days
 - G. All 30 days

- 44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?
 - A. 0 days
 - B. 1 day
 - C. 2 days
 - D. 3 to 5 days
 - E. 6 to 9 days
 - F. 10 to 19 days
 - G. 20 or more days
- 51. During your life, how many times have you used **any** form of cocaine, including powder, crack, or freebase?
 - A. 0 times
 - B. 1 or 2 times
 - C. 3 to 9 times
 - D. 10 to 19 times
 - E. 20 to 39 times
 - F. 40 or more times
- 53. During your life, how many times have you used **heroin** (also called smack, junk, or China White)?
 - A. 0 times
 - B. 1 or 2 times
 - C. 3 to 9 times
 - D. 10 to 19 times
 - E. 20 to 39 times
 - F. 40 or more times
- 54. During your life, how many times have you used **methamphetamines** (also called speed, crystal, crank, or ice)?
 - A. 0 times
 - B. 1 or 2 times
 - C. 3 to 9 times
 - D. 10 to 19 times
 - E. 20 to 39 times
 - F. 40 or more times
- 55. During your life, how many times have you used **ecstasy** (also called MDMA)?
 - A. 0 times
 - B. 1 or 2 times
 - C. 3 to 9 times
 - D. 10 to 19 times
 - E. 20 to 39 times
 - F. 40 or more times

- 59. During your life, how many times have you taken a **prescription drug** (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?
 - A. 0 times
 - B. 1 or 2 times
 - C. 3 to 9 times
 - D. 10 to 19 times
 - E. 20 to 39 times
 - F. 40 or more times

VICTIMIZATION

- 16. During the past 30 days, on how many days did you **not** go to school because you felt you would be unsafe at school or on your way to or from school?
 - A. 0 days
 - B. 1 day
 - C. 2 or 3 days
 - D. 4 or 5 days
 - E. 6 or more days
- 17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club **on school property**?
 - A. 0 times
 - B. 1 time
 - C. 2 or 3 times
 - D. 4 or 5 times
 - E. 6 or 7 times
 - F. 8 or 9 times
 - G. 10 or 11 times
 - H. 12 or more times
- 18. During the past 12 months, how many times were you in a physical fight?
 - A. 0 times
 - B. 1 time
 - C. 2 or 3 times
 - D. 4 or 5 times
 - E. 6 or 7 times
 - F. 8 or 9 times
 - G. 10 or 11 times
 - H. 12 or more times

The next 2 questions ask about bullying. Bullying is when 1 or more students tease, threaten, spread rumors about, hit, shove, or hurt another student over and over again. It is not bullying when 2 students of about the same strength or power argue or fight or tease each other in a friendly way.

- 24. During the past 12 months, have you ever been bullied **on school property**?
 - A. Yes
 - B. No
- 25. During the past 12 months, have you ever been **electronically** bullied? (Count being bullied through e-mail, chat rooms, instant messaging, websites, or texting.)
 - A. Yes
 - B. No
- 22. During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)
 - A. I did not date or go out with anyone during the past 12 months
 - B. 0 times
 - C. 1 time
 - D. 2 or 3 times
 - E. 4 or 5 times
 - F. 6 or more times
- 23. During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)
 - A. I did not date or go out with anyone during the past 12 months
 - B. 0 times
 - C. 1 time
 - D. 2 or 3 times
 - E. 4 or 5 times
 - F. 6 or more times
- 21. Have you ever been physically forced to have sexual intercourse when you did not want to?
 - A. Yes
 - B. No

SUICIDE

The next 5 questions ask about sad feelings and attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide, that is, taking some action to end their own life.

- 26. During the past 12 months, did you ever feel so sad or hopeless almost every day for **two** weeks or more in a row that you stopped doing some usual activities?
 - A. Yes
 - B. No

- 27. During the past 12 months, did you ever **seriously** consider attempting suicide?
 - A. Yes
 - B. No
- 28. During the past 12 months, did you make a plan about how you would attempt suicide?
 - A. Yes
 - B. No
- 29. During the past 12 months, how many times did you actually attempt suicide?
 - A. 0 times
 - B. 1 time
 - C. 2 or 3 times
 - D. 4 or 5 times
 - E. 6 or more times
- 30. **If you attempted suicide** during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?
 - A. I did not attempt suicide during the past 12 months
 - B. Yes
 - C. No

Note. Item numbers, polytomous format, and bolded terms and instructions specific to bullying and suicide items, are original. Please note that for model indicators in this study, we used dichotomized items included in the 2015 YRBSS national dataset (rather than the polytomous items), and that some items were combined. The full set of 2015 YRBSS national survey items can be found at https://www.cdc.gov/healthyyouth/data/yrbs/questionnaires.htm.

References

Centers for Disease Control and Prevention. (2015). 2015 National Youth Risk Behavior Survey.

Atlanta, GA: Centers for Disease Control and Prevention.