Table 1Status of each Guideline (rows) across Putative OCD Subtypes (columns)

	Obsession	Impulsive	Familial	OCD with	OCD	OCD with	OCD with
Guideline	type	ÔCD	OCD	Depressive	with	symmetry and	dysfunctional
	(autogenous	(N = 3)	(N=4)	Disorder	poor	ordering symptom	beliefs (high
	vs. reactive)			(N = 6)	insight	themes	vs. low)
	(N = 9)			× ,	(N = 4)	(N = 5)	(N = 4)
Number of Guidelines Met/Studied	5/5	4/4	4/6	4/5	4/6	4/5	3/3
Clinical Description (CD)							
Guideline Studied and met	X	Х	Х	Х	Х	Х	Х
Guideline studied and not met							
Guideline not studied							
Inconsistency regarding guideline being met							
Treatment Response (TR)							
Guideline Studied and met	Х	Х		Х	Х		
Guideline studied and not met						Х	
Guideline not studied							Х
Inconsistency regarding guideline being met			Х				
Follow-up Studies (FUS)							
Guideline Studied and met	Х	Х					
Guideline studied and not met			Х	Х	Х		
Guideline not studied						Х	Х
Inconsistency regarding guideline being met							
Laboratory Studies (LS)							
Guideline Studied and met	Х		Х	Х	Х	Х	Х
Guideline studied and not met							
Guideline not studied		Х					
Inconsistency regarding guideline being met							
Family Studies (FS)							
Guideline Studied and met			Х			Х	
Guideline studied and not met					Х		
Guideline not studied	Х	Х		х			Х
Inconsistency regarding guideline being met							

Note. OCD = Obsessive Compulsive Disorder; OCPD = Obsessive Compulsive Personality Disorder; N = number of studies pertaining to the subtype (>83 in total because several studies pertain to multiple subtypes)

Guideline	OCD with somatic symptom themes (N = 4)	Onset (early onset vs. late onset) (N = 13)	OCD with trauma (N = 4)	OCD with schizotypal personality features (N = 3)	OCD with OCPD (N = 4)	OCD with hoarding symptom themes (N = 13)	OCD with perfectionism & certainty beliefs (N = 2)	OCD with importance & control of thoughts beliefs (N = 2)
Number of Guidelines Met/Studied	3/3	3/6	3/4	3/5	3/5	3/5	2/2	2/2
Clinical Description (CD)								
Guideline studied and met	Х	Х	Х	Х	Х		Х	Х
Guideline studied and not met								
Guideline not studied								
Inconsistency regarding guideline being met						Х		
Treatment Response (TR)								
Guideline studied and met	Х		Х					
Guideline studied and not met					Х			
Guideline not studied				Х			Х	Х
Inconsistency regarding guideline being met		Х				х		
Follow-up Studies (FUS)								
Guideline studied and met					Х			
Guideline studied and not met				Х				
Guideline not studied	х		Х			х	Х	Х
Inconsistency regarding guideline being met		Х						
Laboratory Studies (LS)								
Guideline studied and met		Х		Х		Х		
Guideline studied and not met			Х		Х			
Guideline not studied	Х						Х	Х
Inconsistency regarding guideline being met								
Family Studies (FS)								
Guideline studied and met						X		
Guideline studied and not met				Х				
Guideline not studied	х		Х		х		Х	Х
Inconsistency regarding guideline being met		Х						

Guideline	OCD with responsibility & threat estimation beliefs (N = 2)	OCD with contamination & washing symptom themes (N = 13)	OCD with obsessions and checking symptom themes (N = 9)	OCD with predominantly obsessions (N = 6)	Gender (OCD in males vs. females) (N = 5)	OCD with tics (N = 5)
Number of Guidelines Met/Studied	(1 - 2) 2/2	$\frac{(1 - 13)}{2/6}$	$\frac{(1-9)}{2/5}$	2/5	2/5	1/5
Clinical Description (CD)		2/0	213	2/3	215	17.5
Guideline studied and met	X			X	X	
Guideline studied and not met	A			A	Α	
Guideline not studied						
Inconsistency regarding guideline being met		Х	Х			х
Treatment Response (TR)						
Guideline studied and met						
Guideline studied and not met					Х	х
Guideline not studied	Х					
Inconsistency regarding guideline being met		Х	Х	Х		
Follow-up Studies (FUS)						
Guideline studied and met						
Guideline studied and not met		Х	Х	Х	Х	
Guideline not studied	х					х
Inconsistency regarding guideline being met						
Laboratory Studies (LS)						
Guideline studied and met		Х	Х			
Guideline studied and not met						х
Guideline not studied	Х			Х	Х	
Inconsistency regarding guideline being met						
Family Studies (FS)						
Guideline studied and met						
Guideline studied and not met		Х		Х	Х	
Guideline not studied	Х		Х			
Inconsistency regarding guideline being met						Х