

This table is a supplementary material for ‘Sequential Hypothesis Testing With Bayes Factors: Efficiently Testing Mean Differences’. It reports all simulation results.

*Note.* The simulations used a two-sided comparison of two group means.  $d$  = true population effect size (Cohen’s  $d$ ). *Boundary* = The critical Bayes factor at which sequential sampling is stopped. *% err* = probability of misleading evidence (false positive evidence in case of  $d=0$ , false negative evidence in case of  $d > 0$ ). *ASN* = average sample number at boundary hit. *Quantiles* = 50%, 80%, 90%, and 95% quantile of sample size at boundary hit.

Table 1: Sequential Bayes Factors for two group means: Full results for all simulated conditions

	d	Boundary	$r = \sqrt{2}/2$			$r = 1$			$r = \sqrt{2}$		
			% err	ASN	Quantiles	% err	ASN	Quantiles	% err	ASN	Quantiles
1	0.00	3	7.49	30.00	22/34/45/60	5.60	24.00	20/25/32/40	4.17	22.00	20/21/26/32
	0.00	4	7.21	57.00	42/65/89/125	5.13	31.00	23/36/50/67	3.75	25.00	20/25/34/44
	0.00	5	6.64	96.00	69/110/160/220	5.07	50.00	36/56/79/115	3.45	30.00	21/32/45/62
	0.00	6	6.04	146.00	105/170/245/340	4.65	75.00	53/83/125/175	3.33	39.00	28/44/63/88
	0.00	7	5.48	205.00	150/235/335/475	4.33	105.00	73/120/175/250	3.18	54.00	38/60/86/130
	0.00	8	5.01	274.00	195/310/445/635	3.97	140.00	95/160/235/335	2.95	72.00	49/79/120/170
	0.00	9	4.63	351.00	250/395/570/820	3.69	183.00	130/210/300/425	2.76	92.00	62/99/155/224
	0.00	10	4.27	435.00	305/490/710/1020	3.44	225.00	160/255/365/526	2.58	115.00	77/130/190/280
	0.00	11	3.97	531.00	375/590/860/1250	3.22	275.00	190/305/445/650	2.39	141.00	93/160/235/340
	0.00	12	3.70	639.00	445/705/1040/1500	3.00	328.00	225/365/535/770	2.26	168.00	115/190/280/405
	0.00	13	3.47	753.00	520/830/1220/1770	2.82	387.00	265/430/625/910	2.16	201.00	140/225/325/475
	0.00	14	3.26	878.00	605/960/1430/2080	2.67	448.00	310/495/725/1060	2.05	232.00	160/260/375/550
	0.00	15	3.09	1011.00	695/1110/1640/2390	2.54	516.00	355/570/835/1220	1.95	267.00	180/295/430/635
	0.00	16	2.91	1148.00	790/1260/1860/2740	2.41	587.00	405/645/945/1400	1.85	305.00	205/335/495/715
	0.00	17	2.74	1302.00	890/1440/2110/3120	2.27	668.00	455/730/1080/1580	1.77	344.00	230/375/555/810
	0.00	18	2.64	1459.00	1000/1610/2360/3500	2.15	749.00	505/815/1210/1770	1.71	385.00	260/420/620/910
	0.00	19	2.49	1642.00	1120/1800/2660/3940	2.04	836.00	565/910/1350/1980	1.64	428.00	290/470/690/1020

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.00	20	2.40	1825.00	1250/1990/2960/4440	1.97	927.00	625/1000/1500/2200	1.60	472.00	320/520/765/1130
0.00	21	2.31	2014.00	1370/2210/3280/4939	1.91	1026.00	690/1110/1660/2440	1.53	520.00	350/570/840/1240
0.00	22	2.24	2203.00	1510/2418/3620/5400	1.85	1122.00	755/1220/1810/2680	1.46	570.00	385/625/920/1360
0.00	23	2.16	2404.00	1650/2660/3940/5900	1.78	1225.00	825/1340/1980/2960	1.42	624.00	420/680/1000/1500
0.00	24	2.05	2616.00	1790/2920/4340/6450	1.71	1334.00	900/1460/2150/3220	1.37	683.00	455/740/1100/1620
0.00	25	1.96	2842.00	1950/3160/4740/7050	1.64	1448.00	975/1580/2330/3500	1.34	740.00	495/800/1190/1760
0.00	26	1.91	3066.00	2110/3420/5150/7650	1.57	1573.00	1060/1710/2540/3800	1.29	799.00	535/865/1290/1900
0.00	27	1.83	3297.00	2270/3700/5550/8150	1.53	1701.00	1140/1840/2760/4140	1.25	861.00	575/930/1400/2050
0.00	28	1.76	3540.00	2440/3980/5950/8750	1.49	1832.00	1230/1980/2960/4500	1.19	929.00	620/995/1500/2210
0.00	29	1.72	3796.00	2640/4280/6450/9450	1.46	1967.00	1320/2130/3188/4840	1.15	997.00	665/1080/1600/2370
0.00	30	1.66	4057.00	2820/4560/6900/10100	1.42	2107.00	1420/2290/3440/5200	1.10	1070.00	710/1150/1710/2560
0.10	3	88.83	31.00	23/35/49/66	92.02	25.00	20/26/34/44	94.20	23.00	20/21/27/34
0.10	4	86.08	65.00	43/71/110/165	91.44	34.00	23/38/55/77	94.15	26.00	20/26/37/50
0.10	5	82.14	123.00	72/135/225/360	89.77	59.00	37/62/95/155	93.81	33.00	22/35/51/74
0.10	6	76.94	212.00	115/240/430/690	87.28	99.00	54/99/175/295	93.00	48.00	28/48/74/120
0.10	7	70.63	328.00	165/400/725/1150	84.29	155.00	76/160/295/510	91.72	72.00	39/69/115/200
0.10	8	63.62	466.00	230/625/1110/1660	80.43	229.00	105/245/470/830	89.95	105.00	51/95/180/325
0.10	9	56.61	618.00	315/900/1500/2110	75.79	324.00	145/370/735/1260	87.89	149.00	66/140/270/510
0.10	10	49.58	784.00	425/1210/1890/2540	71.06	425.00	185/530/1040/1660	85.32	202.00	82/190/400/760
0.10	11	42.51	953.00	560/1520/2215/2900	65.96	541.00	235/740/1390/2060	82.47	265.00	105/260/565/1100
0.10	12	36.08	1124.00	725/1810/2540/3240	60.86	663.00	295/980/1710/2410	79.20	339.00	130/360/805/1460
0.10	13	30.09	1290.00	905/2060/2820/3520	55.58	795.00	380/1260/2020/2760	75.74	421.00	160/485/1080/1800
0.10	14	24.71	1447.00	1090/2290/3080/3780	50.51	928.00	475/1510/2300/3060	72.24	506.00	190/645/1380/2110
0.10	15	20.11	1593.00	1260/2500/3300/4000	45.46	1063.00	590/1750/2580/3300	68.49	602.00	230/835/1660/2430

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

	d	Boundary	$r = \sqrt{2}/2$			$r = 1$			$r = \sqrt{2}$		
			% err	ASN	Quantiles	% err	ASN	Quantiles	% err	ASN	Quantiles
3	0.10	16	15.90	1729.00	1430/2700/3500/4200	40.55	1199.00	730/1980/2800/3540	64.80	697.00	270/1060/1910/2720
	0.10	17	12.48	1851.00	1570/2880/3660/4360	35.93	1333.00	880/2180/3020/3760	61.15	796.00	325/1280/2150/2980
	0.10	18	9.68	1956.00	1690/3020/3800/4500	31.65	1464.00	1050/2370/3220/3960	57.33	901.00	390/1500/2395/3200
	0.10	19	7.45	2045.00	1790/3140/3940/4640	27.65	1589.00	1210/2560/3380/4140	53.68	1008.00	465/1700/2620/3400
	0.10	20	5.61	2126.00	1870/3240/4040/4780	23.95	1709.00	1360/2720/3560/4300	50.01	1114.00	555/1890/2840/3600
	0.10	21	4.18	2192.00	1950/3340/4140/4880	20.65	1823.00	1500/2880/3700/4440	46.37	1222.00	665/2070/3000/3780
	0.10	22	3.11	2250.00	2010/3420/4240/4980	17.62	1930.00	1620/3020/3840/4580	42.77	1329.00	785/2250/3180/3940
	0.10	23	2.24	2301.00	2060/3480/4320/5100	14.90	2029.00	1740/3140/3960/4700	39.37	1435.00	920/2410/3320/4100
	0.10	24	1.61	2343.00	2110/3560/4380/5150	12.54	2119.00	1840/3260/4080/4820	36.11	1539.00	1070/2580/3460/4260
	0.10	25	1.15	2377.00	2150/3600/4440/5250	10.50	2199.00	1940/3340/4180/4920	33.03	1643.00	1220/2720/3600/4400
	0.10	26	0.84	2407.00	2180/3640/4480/5300	8.71	2274.00	2020/3440/4280/5050	30.19	1740.00	1350/2860/3720/4520
	0.10	27	0.55	2436.00	2210/3680/4540/5350	7.23	2340.00	2090/3520/4360/5150	27.32	1838.00	1470/2980/3860/4640
	0.10	28	0.37	2460.00	2230/3700/4580/5400	5.91	2402.00	2160/3600/4440/5200	24.66	1931.00	1590/3100/3980/4740
	0.10	29	0.25	2481.00	2250/3740/4600/5400	4.84	2455.00	2210/3680/4500/5300	22.18	2023.00	1700/3200/4080/4860
	0.10	30	0.15	2502.00	2270/3760/4640/5450	3.92	2504.00	2260/3740/4580/5400	20.06	2102.00	1790/3300/4160/4940
	0.20	3	77.86	34.00	24/39/56/77	84.50	27.00	20/28/38/51	88.64	24.00	20/23/30/39
	0.20	4	65.39	73.00	46/89/145/215	80.15	39.00	24/44/68/100	86.99	29.00	20/30/44/63
	0.20	5	50.59	133.00	80/190/290/395	71.50	71.00	40/82/145/225	83.91	39.00	23/42/68/110
	0.20	6	35.90	203.00	135/305/440/565	61.35	114.00	61/155/260/375	79.08	59.00	30/64/120/200
	0.20	7	24.09	269.00	200/415/565/695	50.42	167.00	92/250/385/525	72.31	89.00	43/110/205/320
	0.20	8	15.50	326.00	260/500/660/800	39.77	224.00	145/350/505/650	64.98	125.00	59/175/305/450
	0.20	9	9.54	371.00	310/570/735/886	30.30	281.00	200/440/605/750	57.27	167.00	81/250/410/565
	0.20	10	5.61	407.00	350/625/795/955	22.74	331.00	255/515/685/835	49.29	211.00	115/335/510/665
	0.20	11	3.06	434.00	375/670/850/1010	16.65	375.00	305/580/750/910	41.59	257.00	160/415/595/750

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	$r = \sqrt{2}/2$			$r = 1$			$r = \sqrt{2}$		
		% err	ASN	Quantiles	% err	ASN	Quantiles	% err	ASN	Quantiles
0.20	12	1.68	454.00	400/700/885/1050	11.89	414.00	350/635/810/975	34.56	303.00	210/490/670/830
0.20	13	0.86	469.00	415/720/915/1090	8.40	445.00	380/680/855/1030	28.39	345.00	255/550/730/900
0.20	14	0.40	481.00	420/740/935/1120	5.71	471.00	410/715/900/1070	23.13	384.00	305/605/785/955
0.20	15	0.20	491.00	430/755/955/1140	3.80	493.00	435/745/935/1110	18.62	420.00	345/650/835/1010
0.20	16	0.08	500.00	440/765/965/1150	2.48	510.00	450/770/965/1140	14.88	451.00	380/695/880/1060
0.20	17	0.02	507.00	445/775/975/1170	1.59	524.00	465/795/990/1170	11.62	480.00	415/730/925/1100
0.20	18	0.01	514.00	450/780/985/1180	0.99	535.00	480/810/1010/1190	9.12	504.00	440/760/955/1130
0.20	19	0.00	520.00	460/790/995/1190	0.60	544.00	485/825/1030/1210	7.02	526.00	465/790/985/1170
0.20	20	0.00	526.00	465/795/1010/1190	0.35	552.00	495/835/1050/1230	5.34	545.00	485/815/1020/1200
0.20	21	0.00	531.00	470/805/1010/1200	0.20	559.00	500/845/1060/1250	3.95	561.00	505/840/1040/1220
0.20	22	0.00	536.00	475/810/1020/1210	0.12	565.00	505/850/1070/1260	2.91	575.00	520/855/1070/1240
0.20	23	0.00	541.00	480/815/1030/1220	0.06	571.00	515/855/1070/1260	2.21	586.00	530/870/1080/1260
0.20	24	0.00	546.00	485/820/1030/1220	0.02	576.00	520/865/1080/1270	1.58	597.00	540/890/1100/1280
0.20	25	0.00	551.00	490/830/1040/1230	0.01	581.00	525/870/1090/1280	1.13	605.00	550/900/1115/1300
0.20	26	0.00	555.00	495/835/1050/1240	0.00	586.00	530/875/1100/1290	0.82	613.00	555/910/1130/1320
0.20	27	0.00	559.00	500/840/1050/1240	0.00	590.00	530/885/1100/1300	0.55	620.00	565/920/1140/1330
0.20	28	0.00	563.00	505/845/1060/1250	0.00	595.00	535/890/1110/1300	0.38	625.00	570/930/1150/1340
0.20	29	0.00	567.00	505/850/1060/1260	0.00	599.00	540/895/1110/1310	0.26	631.00	575/935/1150/1350
0.20	30	0.00	571.00	510/855/1070/1260	0.00	603.00	545/900/1120/1310	0.18	636.00	580/940/1160/1360
0.30	3	60.85	36.00	25/44/63/84	71.82	28.00	20/32/44/58	78.87	25.00	20/26/35/45
0.30	4	39.18	70.00	49/95/145/185	62.13	42.00	27/53/80/115	73.88	32.00	21/36/54/75
0.30	5	21.67	108.00	79/165/220/275	46.59	70.00	44/95/150/200	67.15	43.00	25/53/84/130
0.30	6	10.38	140.00	115/215/280/340	32.04	102.00	69/155/215/275	57.27	62.00	35/83/140/195
0.30	7	4.38	162.00	135/250/320/390	20.73	132.00	96/200/270/335	45.99	87.00	52/130/195/260

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.30	8	1.77	176.00	150/275/350/420	12.57	157.00	130/240/315/380	35.49	113.00	73/175/245/310
0.30	9	0.60	186.00	160/290/370/440	6.91	177.00	150/270/350/415	26.73	137.00	97/215/285/360
0.30	10	0.20	192.00	165/300/385/460	3.85	191.00	165/295/372/445	19.46	160.00	125/245/325/395
0.30	11	0.05	197.00	170/305/390/470	2.04	202.00	175/310/390/465	13.69	180.00	150/275/355/425
0.30	12	0.02	202.00	175/310/395/475	0.99	210.00	185/325/405/485	9.18	196.00	170/300/380/455
0.30	13	0.00	206.00	180/315/405/485	0.46	216.00	190/330/420/495	5.90	211.00	185/320/400/475
0.30	14	0.00	210.00	180/320/410/485	0.21	220.00	195/340/425/505	3.92	221.00	195/335/420/495
0.30	15	0.00	213.00	185/325/415/495	0.07	224.00	195/345/435/515	2.54	229.00	205/345/435/510
0.30	16	0.00	217.00	190/330/420/500	0.03	228.00	200/350/440/520	1.57	235.00	210/355/445/520
0.30	17	0.00	220.00	190/335/425/500	0.02	231.00	205/350/445/525	0.91	241.00	215/365/455/530
0.30	18	0.00	222.00	195/340/430/505	0.00	234.00	205/355/450/525	0.54	245.00	220/370/460/540
0.30	19	0.00	225.00	200/345/430/510	0.00	237.00	210/360/450/530	0.29	249.00	225/375/470/545
0.30	20	0.00	228.00	200/345/435/515	0.00	239.00	210/360/455/535	0.18	252.00	225/380/470/555
0.30	21	0.00	230.00	205/350/440/520	0.00	242.00	215/365/460/540	0.08	255.00	230/385/475/560
0.30	22	0.00	233.00	205/350/440/520	0.00	244.00	215/370/460/540	0.04	258.00	230/385/480/565
0.30	23	0.00	235.00	210/355/445/525	0.00	246.00	220/370/465/545	0.03	260.00	235/390/485/565
0.30	24	0.00	237.00	210/355/450/525	0.00	248.00	220/375/465/550	0.02	262.00	235/390/485/570
0.30	25	0.00	239.00	210/360/450/530	0.00	250.00	225/375/470/550	0.01	264.00	240/395/490/575
0.30	26	0.00	241.00	215/360/455/535	0.00	252.00	225/380/470/555	0.00	266.00	240/395/490/575
0.30	27	0.00	243.00	215/365/455/535	0.00	254.00	225/380/475/555	0.00	268.00	240/400/495/580
0.30	28	0.00	245.00	220/365/460/540	0.00	256.00	230/385/475/560	0.00	270.00	245/400/495/580
0.30	29	0.00	246.00	220/370/460/540	0.00	258.00	230/385/480/560	0.00	271.00	245/405/500/585
0.30	30	0.00	248.00	220/370/465/545	0.00	260.00	235/390/480/565	0.00	273.00	250/405/500/585
0.40	3	42.85	35.00	26/45/61/78	56.36	29.00	21/34/45/58	65.66	26.00	20/28/37/47

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.40	4	19.97	59.00	45/82/115/145	43.29	41.00	28/54/76/98	57.81	33.00	22/40/56/75
0.40	5	7.04	79.00	64/120/155/190	26.20	61.00	45/85/120/150	48.48	42.00	27/57/83/115
0.40	6	1.88	91.00	74/140/180/215	13.74	79.00	62/120/155/190	36.93	56.00	38/80/115/150
0.40	7	0.40	97.00	79/150/195/235	6.42	93.00	75/140/180/220	25.23	73.00	53/110/150/185
0.40	8	0.06	102.00	82/155/205/245	2.63	102.00	85/155/200/235	16.22	88.00	68/135/175/215
0.40	9	0.01	105.00	86/160/210/250	0.88	109.00	90/165/215/250	9.91	100.00	81/150/195/235
0.40	10	0.00	108.00	88/165/210/255	0.28	113.00	93/175/220/260	5.66	110.00	90/165/210/250
0.40	11	0.00	111.00	91/170/215/255	0.09	116.00	96/180/225/265	2.98	117.00	98/180/225/265
0.40	12	0.00	113.00	94/175/220/260	0.02	118.00	98/180/230/270	1.44	122.00	105/185/235/275
0.40	13	0.00	115.00	96/175/225/265	0.01	121.00	105/185/230/275	0.68	126.00	110/190/240/281
0.40	14	0.00	117.00	98/180/225/270	0.00	123.00	105/185/235/280	0.30	129.00	115/195/245/290
0.40	15	0.00	119.00	100/180/230/270	0.00	125.00	110/190/240/280	0.13	131.00	115/200/250/295
0.40	16	0.00	121.00	105/185/230/275	0.00	127.00	110/190/240/285	0.05	133.00	120/200/250/295
0.40	17	0.00	123.00	105/185/235/275	0.00	128.00	110/195/245/290	0.02	135.00	120/205/255/300
0.40	18	0.00	125.00	110/190/235/280	0.00	130.00	115/195/245/290	0.01	137.00	120/205/255/300
0.40	19	0.00	126.00	110/190/240/280	0.00	131.00	115/200/250/290	0.00	138.00	125/210/260/305
0.40	20	0.00	128.00	110/190/240/285	0.00	133.00	115/200/250/295	0.00	140.00	125/210/260/305
0.40	21	0.00	129.00	115/195/240/285	0.00	134.00	120/205/250/295	0.00	141.00	125/210/265/310
0.40	22	0.00	130.00	115/195/245/290	0.00	136.00	120/205/255/300	0.00	142.00	125/215/265/310
0.40	23	0.00	132.00	115/200/245/290	0.00	137.00	120/205/255/300	0.00	144.00	130/215/265/315
0.40	24	0.00	133.00	115/200/250/290	0.00	138.00	125/205/255/300	0.00	145.00	130/215/270/315
0.40	25	0.00	134.00	120/200/250/295	0.00	139.00	125/210/260/305	0.00	146.00	130/220/270/320
0.40	26	0.00	135.00	120/200/250/295	0.00	140.00	125/210/260/305	0.00	147.00	130/220/270/320
0.40	27	0.00	136.00	120/205/250/295	0.00	141.00	125/210/260/306	0.00	148.00	135/220/270/320

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.40	28	0.00	137.00	120/205/255/300	0.00	142.00	125/215/265/310	0.00	149.00	135/220/275/325
0.40	29	0.00	138.00	125/205/255/300	0.00	143.00	130/215/265/310	0.00	150.00	135/225/275/325
0.40	30	0.00	139.00	125/205/255/300	0.00	144.00	130/215/265/310	0.00	151.00	135/225/275/325
0.50	3	26.78	33.00	25/42/56/69	40.05	28.00	21/34/44/55	50.18	26.00	20/29/38/46
0.50	4	8.21	48.00	38/67/86/105	26.71	38.00	28/50/67/84	40.87	32.00	23/40/54/70
0.50	5	1.65	57.00	45/82/110/130	12.40	50.00	39/70/92/115	31.11	40.00	29/54/73/92
0.50	6	0.24	61.00	49/89/120/145	4.57	59.00	48/86/115/135	20.78	49.00	37/69/92/115
0.50	7	0.02	64.00	51/93/125/150	1.44	65.00	54/95/125/150	11.59	59.00	47/84/110/135
0.50	8	0.00	66.00	54/97/130/155	0.38	68.00	56/100/135/160	5.84	66.00	54/96/125/150
0.50	9	0.00	68.00	56/99/130/160	0.07	71.00	58/105/135/165	2.75	71.00	60/105/135/160
0.50	10	0.00	70.00	58/105/135/160	0.01	73.00	60/110/140/170	1.16	75.00	63/115/145/170
0.50	11	0.00	72.00	60/105/140/165	0.00	74.00	62/110/145/170	0.44	78.00	65/115/150/175
0.50	12	0.00	73.00	61/110/140/165	0.00	76.00	63/115/145/175	0.15	79.00	67/120/150/180
0.50	13	0.00	75.00	63/110/140/170	0.00	77.00	65/115/145/175	0.04	81.00	68/120/155/185
0.50	14	0.00	76.00	64/115/145/170	0.00	79.00	66/120/150/180	0.01	82.00	70/125/155/185
0.50	15	0.00	77.00	65/115/145/175	0.00	80.00	67/120/150/180	0.01	84.00	71/125/160/190
0.50	16	0.00	78.00	66/115/145/175	0.00	81.00	69/120/155/180	0.00	85.00	72/125/160/190
0.50	17	0.00	79.00	67/120/150/175	0.00	82.00	70/125/155/185	0.00	86.00	73/130/160/190
0.50	18	0.00	80.00	68/120/150/180	0.00	83.00	71/125/155/185	0.00	87.00	74/130/165/190
0.50	19	0.00	81.00	69/120/150/180	0.00	84.00	72/125/155/185	0.00	88.00	75/130/165/195
0.50	20	0.00	82.00	70/120/155/180	0.00	85.00	72/125/160/190	0.00	89.00	76/130/165/195
0.50	21	0.00	83.00	71/125/155/185	0.00	86.00	73/130/160/190	0.00	89.00	77/135/165/195
0.50	22	0.00	84.00	72/125/155/185	0.00	86.00	74/130/160/190	0.00	90.00	78/135/170/200
0.50	23	0.00	85.00	73/125/155/185	0.00	87.00	75/130/160/190	0.00	91.00	78/135/170/200

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

	d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
				ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
$\infty$	0.50	24	0.00	85.00	73/125/158/185	0.00	88.00	76/130/165/190	0.00	92.00	79/135/170/200
	0.50	25	0.00	86.00	74/125/160/190	0.00	89.00	76/130/165/195	0.00	93.00	80/140/170/200
	0.50	26	0.00	87.00	75/130/160/190	0.00	89.00	77/135/165/195	0.00	93.00	81/140/170/200
	0.50	27	0.00	88.00	76/130/160/190	0.00	90.00	78/135/165/195	0.00	94.00	81/140/172/205
	0.50	28	0.00	88.00	76/130/160/190	0.00	91.00	78/135/165/195	0.00	95.00	82/140/175/205
	0.50	29	0.00	89.00	77/130/165/190	0.00	91.00	79/135/170/200	0.00	95.00	83/140/175/205
	0.50	30	0.00	89.00	77/130/165/190	0.00	92.00	80/135/170/200	0.00	96.00	83/140/175/205
	0.60	3	15.19	30.00	23/38/49/59	26.46	27.00	21/32/41/50	35.84	26.00	20/29/37/44
	0.60	4	2.93	38.00	31/53/67/81	14.97	34.00	26/44/57/69	26.86	30.00	23/38/49/60
	0.60	5	0.32	42.00	33/59/77/93	5.19	41.00	33/56/71/86	18.44	36.00	27/47/61/75
	0.60	6	0.01	45.00	36/63/81/98	1.26	45.00	37/63/81/98	10.43	41.00	33/57/73/88
	0.60	7	0.00	46.00	37/65/84/105	0.27	48.00	38/67/87/105	4.64	46.00	38/65/83/99
	0.60	8	0.00	48.00	39/67/87/105	0.04	49.00	40/70/90/110	1.73	50.00	42/71/90/110
	0.60	9	0.00	49.00	40/69/89/110	0.00	51.00	41/72/92/115	0.66	52.00	44/74/95/115
	0.60	10	0.00	50.00	42/71/91/110	0.00	52.00	43/74/94/115	0.19	54.00	45/77/98/120
	0.60	11	0.00	51.00	43/73/93/115	0.00	53.00	44/75/96/120	0.06	55.00	46/79/100/120
	0.60	12	0.00	52.00	44/74/94/115	0.00	54.00	45/77/97/120	0.01	56.00	47/80/105/125
	0.60	13	0.00	53.00	45/76/96/115	0.00	55.00	46/78/99/120	0.00	57.00	48/81/105/125
	0.60	14	0.00	54.00	46/77/97/120	0.00	56.00	47/79/100/120	0.00	58.00	49/83/105/125
	0.60	15	0.00	55.00	47/78/98/120	0.00	56.00	48/80/105/125	0.00	59.00	50/84/110/130
	0.60	16	0.00	56.00	47/79/99/120	0.00	57.00	48/81/105/125	0.00	59.00	50/85/110/130
	0.60	17	0.00	56.00	48/80/100/120	0.00	58.00	49/82/105/125	0.00	60.00	51/86/110/130
	0.60	18	0.00	57.00	49/81/105/125	0.00	59.00	50/83/105/125	0.00	61.00	52/87/110/135
	0.60	19	0.00	58.00	50/82/105/125	0.00	59.00	51/84/110/130	0.00	61.00	53/88/115/135



Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.60	20	0.00	58.00	50/82/105/125	0.00	60.00	51/85/110/130	0.00	62.00	53/88/115/135
0.60	21	0.00	59.00	51/83/105/125	0.00	60.00	52/86/110/130	0.00	63.00	54/89/115/135
0.60	22	0.00	60.00	51/84/110/130	0.00	61.00	52/86/110/130	0.00	63.00	54/90/115/135
0.60	23	0.00	60.00	52/85/110/130	0.00	61.00	53/87/110/135	0.00	64.00	55/91/115/135
0.60	24	0.00	61.00	52/85/110/130	0.00	62.00	53/88/115/135	0.00	64.00	56/91/115/140
0.60	25	0.00	61.00	53/86/110/130	0.00	62.00	54/88/115/135	0.00	65.00	56/92/120/140
0.60	26	0.00	62.00	53/87/110/130	0.00	63.00	54/89/115/135	0.00	65.00	57/92/120/140
0.60	27	0.00	62.00	54/87/110/130	0.00	63.00	55/90/115/135	0.00	66.00	57/93/120/140
0.60	28	0.00	62.00	54/88/115/135	0.00	64.00	55/90/115/135	0.00	66.00	57/94/120/140
0.60	29	0.00	63.00	55/88/115/135	0.00	64.00	56/91/115/135	0.00	66.00	58/94/120/140
0.60	30	0.00	63.00	55/89/115/135	0.00	65.00	56/91/115/135	0.00	67.00	58/95/120/140
0.70	3	7.91	27.00	21/33/42/50	15.66	26.00	21/30/37/45	23.34	25.00	20/28/35/41
0.70	4	0.81	32.00	25/41/53/63	7.68	30.00	23/38/47/57	15.87	28.00	22/35/43/52
0.70	5	0.03	34.00	26/45/58/70	1.67	34.00	27/45/57/68	9.86	32.00	25/41/51/62
0.70	6	0.00	35.00	28/47/60/73	0.29	36.00	28/48/62/74	4.65	35.00	28/47/59/70
0.70	7	0.00	36.00	29/49/62/75	0.03	37.00	30/50/64/78	1.43	38.00	31/51/65/77
0.70	8	0.00	37.00	30/50/64/77	0.00	38.00	31/52/66/80	0.42	39.00	32/54/68/82
0.70	9	0.00	38.00	31/52/66/79	0.00	39.00	32/53/68/81	0.10	40.00	33/56/71/85
0.70	10	0.00	39.00	32/53/67/81	0.00	40.00	33/55/69/83	0.02	41.00	34/57/72/86
0.70	11	0.00	40.00	33/54/69/82	0.00	41.00	33/56/71/85	0.00	42.00	35/58/74/88
0.70	12	0.00	40.00	34/55/70/83	0.00	41.00	34/57/72/86	0.00	43.00	35/59/75/89
0.70	13	0.00	41.00	34/56/71/85	0.00	42.00	35/58/73/87	0.00	43.00	36/60/76/90
0.70	14	0.00	42.00	35/57/72/86	0.00	42.00	35/59/74/88	0.00	44.00	37/61/77/91
0.70	15	0.00	42.00	36/58/73/87	0.00	43.00	36/60/75/89	0.00	44.00	37/62/78/92

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.70	16	0.00	43.00	36/59/74/88	0.00	44.00	37/60/76/90	0.00	45.00	38/63/79/93
0.70	17	0.00	43.00	37/60/74/88	0.00	44.00	37/61/76/91	0.00	46.00	38/64/79/94
0.70	18	0.00	44.00	37/60/75/89	0.00	45.00	38/62/77/91	0.00	46.00	39/64/80/95
0.70	19	0.00	44.00	38/61/76/90	0.00	45.00	38/63/78/92	0.00	46.00	39/65/81/96
0.70	20	0.00	45.00	38/62/77/91	0.00	45.00	39/63/79/93	0.00	47.00	40/65/81/96
0.70	21	0.00	45.00	38/62/77/91	0.00	46.00	39/64/79/94	0.00	47.00	40/66/82/97
0.70	22	0.00	45.00	39/63/78/92	0.00	46.00	39/64/80/94	0.00	48.00	41/66/83/98
0.70	23	0.00	46.00	39/63/79/93	0.00	47.00	40/65/80/95	0.00	48.00	41/67/83/98
0.70	24	0.00	46.00	40/64/79/93	0.00	47.00	40/65/81/96	0.00	48.00	41/67/84/99
0.70	25	0.00	47.00	40/64/80/94	0.00	47.00	41/66/81/96	0.00	49.00	42/68/84/99
0.70	26	0.00	47.00	40/65/80/94	0.00	48.00	41/66/82/97	0.00	49.00	42/68/85/100
0.70	27	0.00	47.00	41/65/81/95	0.00	48.00	41/67/83/97	0.00	49.00	42/69/85/100
0.70	28	0.00	48.00	41/66/81/96	0.00	48.00	42/67/83/98	0.00	50.00	43/69/86/105
0.70	29	0.00	48.00	41/66/82/96	0.00	49.00	42/67/83/98	0.00	50.00	43/70/86/105
0.70	30	0.00	48.00	42/66/82/96	0.00	49.00	42/68/84/99	0.00	50.00	43/70/87/105
0.80	3	3.66	25.00	20/28/35/42	8.42	24.00	20/27/33/39	13.76	24.00	20/26/32/37
0.80	4	0.19	27.00	21/33/42/51	3.50	27.00	21/32/40/47	8.45	26.00	21/31/38/45
0.80	5	0.00	28.00	22/35/45/54	0.53	29.00	22/36/45/54	4.78	28.00	22/34/43/51
0.80	6	0.00	29.00	23/37/46/56	0.05	30.00	23/38/48/57	1.85	30.00	24/38/48/56
0.80	7	0.00	30.00	24/38/48/58	0.00	31.00	24/39/49/59	0.44	31.00	25/40/51/61
0.80	8	0.00	31.00	24/39/50/59	0.00	31.00	25/40/51/61	0.08	32.00	25/42/53/63
0.80	9	0.00	31.00	25/41/51/60	0.00	32.00	25/41/52/62	0.01	33.00	26/43/54/65
0.80	10	0.00	32.00	26/42/52/62	0.00	32.00	26/42/53/63	0.00	33.00	27/44/55/66
0.80	11	0.00	33.00	26/42/53/63	0.00	33.00	27/43/54/64	0.00	34.00	27/45/56/67

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.80	12	0.00	33.00	27/43/54/64	0.00	33.00	27/44/55/65	0.00	34.00	28/46/57/68
0.80	13	0.00	34.00	27/44/55/65	0.00	34.00	28/45/56/66	0.00	35.00	28/46/58/69
0.80	14	0.00	34.00	28/45/55/66	0.00	34.00	28/45/57/67	0.00	35.00	29/47/58/69
0.80	15	0.00	34.00	28/45/56/66	0.00	35.00	29/46/57/68	0.00	36.00	29/48/59/70
0.80	16	0.00	35.00	29/46/57/67	0.00	35.00	29/47/58/69	0.00	36.00	30/48/60/71
0.80	17	0.00	35.00	29/46/57/68	0.00	35.00	29/47/58/69	0.00	36.00	30/49/60/71
0.80	18	0.00	35.00	30/47/58/68	0.00	36.00	30/48/59/70	0.00	37.00	31/49/61/72
0.80	19	0.00	36.00	30/47/58/69	0.00	36.00	30/48/60/70	0.00	37.00	31/50/62/73
0.80	20	0.00	36.00	30/48/59/69	0.00	36.00	31/49/60/71	0.00	37.00	31/50/62/73
0.80	21	0.00	36.00	31/48/59/70	0.00	37.00	31/49/61/71	0.00	38.00	32/51/63/74
0.80	22	0.00	37.00	31/49/60/71	0.00	37.00	31/50/61/72	0.00	38.00	32/51/63/74
0.80	23	0.00	37.00	31/49/60/71	0.00	37.00	31/50/62/73	0.00	38.00	32/51/64/75
0.80	24	0.00	37.00	32/50/61/71	0.00	37.00	32/50/62/73	0.00	38.00	33/52/64/75
0.80	25	0.00	37.00	32/50/61/72	0.00	38.00	32/51/62/74	0.00	39.00	33/52/64/76
0.80	26	0.00	38.00	32/50/62/72	0.00	38.00	32/51/63/74	0.00	39.00	33/52/65/76
0.80	27	0.00	38.00	32/51/62/73	0.00	38.00	33/51/63/74	0.00	39.00	33/53/65/77
0.80	28	0.00	38.00	33/51/63/73	0.00	38.00	33/52/64/75	0.00	39.00	34/53/66/77
0.80	29	0.00	38.00	33/51/63/74	0.00	39.00	33/52/64/75	0.00	40.00	34/54/66/78
0.80	30	0.00	39.00	33/52/63/74	0.00	39.00	33/52/64/76	0.00	40.00	34/54/66/78
0.90	3	1.52	23.00	20/24/30/36	4.12	23.00	20/24/29/34	7.40	23.00	20/24/29/33
0.90	4	0.04	24.00	20/27/34/41	1.43	24.00	20/27/34/40	4.13	24.00	20/27/33/39
0.90	5	0.00	25.00	20/29/36/43	0.14	25.00	20/29/37/44	2.11	25.00	20/29/36/43
0.90	6	0.00	26.00	20/30/38/45	0.01	26.00	20/31/38/46	0.65	26.00	21/31/39/47
0.90	7	0.00	26.00	21/31/39/46	0.00	27.00	21/32/40/47	0.10	27.00	21/33/41/49

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
0.90	8	0.00	27.00	21/32/40/47	0.00	27.00	21/33/41/48	0.01	28.00	22/34/42/50
0.90	9	0.00	27.00	21/33/41/48	0.00	27.00	22/33/42/49	0.00	28.00	22/34/43/51
0.90	10	0.00	28.00	22/34/42/49	0.00	28.00	22/34/43/50	0.00	28.00	22/35/44/52
0.90	11	0.00	28.00	22/34/42/50	0.00	28.00	22/35/43/51	0.00	29.00	23/36/45/53
0.90	12	0.00	28.00	23/35/43/51	0.00	29.00	23/35/44/52	0.00	29.00	23/36/45/54
0.90	13	0.00	29.00	23/35/44/52	0.00	29.00	23/36/45/53	0.00	29.00	24/37/46/54
0.90	14	0.00	29.00	23/36/44/52	0.00	29.00	23/36/45/53	0.00	30.00	24/37/46/55
0.90	15	0.00	29.00	24/36/45/53	0.00	29.00	24/37/46/54	0.00	30.00	24/38/47/55
0.90	16	0.00	29.00	24/37/45/54	0.00	30.00	24/37/46/55	0.00	30.00	25/38/48/56
0.90	17	0.00	30.00	24/37/46/54	0.00	30.00	24/38/47/55	0.00	31.00	25/39/48/57
0.90	18	0.00	30.00	25/38/46/55	0.00	30.00	25/38/47/55	0.00	31.00	25/39/49/57
0.90	19	0.00	30.00	25/38/47/55	0.00	30.00	25/39/48/56	0.00	31.00	25/40/49/58
0.90	20	0.00	30.00	25/39/47/55	0.00	31.00	25/39/48/56	0.00	31.00	26/40/49/58
0.90	21	0.00	31.00	25/39/48/56	0.00	31.00	25/39/48/57	0.00	31.00	26/40/50/58
0.90	22	0.00	31.00	26/39/48/56	0.00	31.00	26/40/49/57	0.00	32.00	26/41/50/59
0.90	23	0.00	31.00	26/39/48/57	0.00	31.00	26/40/49/58	0.00	32.00	26/41/50/59
0.90	24	0.00	31.00	26/40/49/57	0.00	31.00	26/40/49/58	0.00	32.00	27/41/51/59
0.90	25	0.00	31.00	26/40/49/57	0.00	32.00	26/41/50/58	0.00	32.00	27/42/51/60
0.90	26	0.00	32.00	26/40/49/58	0.00	32.00	26/41/50/59	0.00	32.00	27/42/52/60
0.90	27	0.00	32.00	27/41/50/58	0.00	32.00	27/41/50/59	0.00	32.00	27/42/52/61
0.90	28	0.00	32.00	27/41/50/58	0.00	32.00	27/41/51/59	0.00	33.00	27/42/52/61
0.90	29	0.00	32.00	27/41/50/59	0.00	32.00	27/42/51/60	0.00	33.00	28/43/52/61
0.90	30	0.00	32.00	27/41/51/59	0.00	32.00	27/42/51/60	0.00	33.00	28/43/53/62
1.00	3	0.57	22.00	20/21/26/30	1.82	22.00	20/21/26/30	3.61	22.00	20/22/26/30

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.00	4	0.01	23.00	20/23/28/33	0.53	23.00	20/23/28/34	1.82	23.00	20/23/29/33
1.00	5	0.00	23.00	20/24/30/35	0.03	23.00	20/24/30/36	0.82	23.00	20/25/31/36
1.00	6	0.00	24.00	20/25/31/36	0.00	24.00	20/25/31/37	0.23	24.00	20/26/32/38
1.00	7	0.00	24.00	20/26/32/38	0.00	24.00	20/26/32/38	0.02	24.00	20/27/33/39
1.00	8	0.00	24.00	20/27/33/38	0.00	24.00	20/27/33/39	0.00	25.00	20/28/34/41
1.00	9	0.00	24.00	20/27/34/39	0.00	25.00	20/28/34/40	0.00	25.00	20/28/35/42
1.00	10	0.00	25.00	20/28/34/40	0.00	25.00	20/28/35/41	0.00	25.00	20/29/36/42
1.00	11	0.00	25.00	20/29/35/41	0.00	25.00	20/29/35/42	0.00	26.00	20/30/36/43
1.00	12	0.00	25.00	20/29/36/42	0.00	25.00	20/29/36/42	0.00	26.00	20/30/37/44
1.00	13	0.00	25.00	20/30/36/42	0.00	26.00	20/30/37/43	0.00	26.00	21/31/38/44
1.00	14	0.00	26.00	21/30/37/43	0.00	26.00	21/30/37/43	0.00	26.00	21/31/38/45
1.00	15	0.00	26.00	21/30/37/43	0.00	26.00	21/31/38/44	0.00	26.00	21/31/39/45
1.00	16	0.00	26.00	21/31/38/44	0.00	26.00	21/31/38/44	0.00	27.00	21/32/39/46
1.00	17	0.00	26.00	21/31/38/44	0.00	26.00	21/31/38/45	0.00	27.00	21/32/39/46
1.00	18	0.00	26.00	21/31/38/45	0.00	27.00	21/32/39/45	0.00	27.00	22/32/40/47
1.00	19	0.00	27.00	22/32/39/45	0.00	27.00	22/32/39/46	0.00	27.00	22/33/40/47
1.00	20	0.00	27.00	22/32/39/46	0.00	27.00	22/32/39/46	0.00	27.00	22/33/40/47
1.00	21	0.00	27.00	22/32/39/46	0.00	27.00	22/33/40/47	0.00	27.00	22/33/41/48
1.00	22	0.00	27.00	22/33/40/46	0.00	27.00	22/33/40/47	0.00	28.00	22/34/41/48
1.00	23	0.00	27.00	22/33/40/47	0.00	27.00	22/33/40/47	0.00	28.00	23/34/41/48
1.00	24	0.00	27.00	22/33/40/47	0.00	27.00	22/33/41/48	0.00	28.00	23/34/42/49
1.00	25	0.00	27.00	23/33/41/47	0.00	28.00	23/34/41/48	0.00	28.00	23/34/42/49
1.00	26	0.00	28.00	23/34/41/48	0.00	28.00	23/34/41/48	0.00	28.00	23/35/42/49
1.00	27	0.00	28.00	23/34/41/48	0.00	28.00	23/34/41/48	0.00	28.00	23/35/42/49

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.00	28	0.00	28.00	23/34/41/48	0.00	28.00	23/34/42/49	0.00	28.00	23/35/43/50
1.00	29	0.00	28.00	23/34/41/48	0.00	28.00	23/34/42/49	0.00	28.00	23/35/43/50
1.00	30	0.00	28.00	23/34/42/49	0.00	28.00	23/35/42/49	0.00	29.00	23/35/43/50
1.10	3	0.20	21.00	20/20/22/26	0.71	21.00	20/20/23/26	1.66	21.00	20/20/23/27
1.10	4	0.00	22.00	20/20/24/28	0.18	22.00	20/21/24/29	0.71	22.00	20/21/25/29
1.10	5	0.00	22.00	20/21/25/30	0.01	22.00	20/21/26/30	0.29	22.00	20/22/26/31
1.10	6	0.00	22.00	20/22/26/31	0.00	22.00	20/22/27/32	0.06	23.00	20/23/27/32
1.10	7	0.00	22.00	20/22/27/32	0.00	23.00	20/23/28/32	0.00	23.00	20/23/28/34
1.10	8	0.00	23.00	20/23/28/33	0.00	23.00	20/23/28/33	0.00	23.00	20/24/29/34
1.10	9	0.00	23.00	20/24/29/34	0.00	23.00	20/24/29/34	0.00	23.00	20/24/30/35
1.10	10	0.00	23.00	20/24/29/34	0.00	23.00	20/24/29/35	0.00	23.00	20/25/30/36
1.10	11	0.00	23.00	20/25/30/35	0.00	23.00	20/25/30/35	0.00	24.00	20/25/31/36
1.10	12	0.00	23.00	20/25/30/35	0.00	23.00	20/25/31/36	0.00	24.00	20/26/31/37
1.10	13	0.00	24.00	20/25/31/36	0.00	24.00	20/25/31/36	0.00	24.00	20/26/32/37
1.10	14	0.00	24.00	20/26/31/36	0.00	24.00	20/26/31/37	0.00	24.00	20/26/32/38
1.10	15	0.00	24.00	20/26/31/37	0.00	24.00	20/26/32/37	0.00	24.00	20/27/32/38
1.10	16	0.00	24.00	20/26/32/37	0.00	24.00	20/26/32/37	0.00	24.00	20/27/33/38
1.10	17	0.00	24.00	20/27/32/37	0.00	24.00	20/27/32/38	0.00	24.00	20/27/33/39
1.10	18	0.00	24.00	20/27/32/38	0.00	24.00	20/27/33/38	0.00	24.00	20/27/33/39
1.10	19	0.00	24.00	20/27/33/38	0.00	24.00	20/27/33/38	0.00	25.00	20/28/34/39
1.10	20	0.00	24.00	20/27/33/38	0.00	24.00	20/27/33/39	0.00	25.00	20/28/34/40
1.10	21	0.00	25.00	20/28/33/39	0.00	25.00	20/28/33/39	0.00	25.00	20/28/34/40
1.10	22	0.00	25.00	20/28/33/39	0.00	25.00	20/28/34/39	0.00	25.00	20/28/34/40
1.10	23	0.00	25.00	20/28/34/39	0.00	25.00	20/28/34/40	0.00	25.00	20/29/35/40

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.10	24	0.00	25.00	20/28/34/39	0.00	25.00	20/28/34/40	0.00	25.00	20/29/35/41
1.10	25	0.00	25.00	20/28/34/40	0.00	25.00	20/29/34/40	0.00	25.00	20/29/35/41
1.10	26	0.00	25.00	20/29/34/40	0.00	25.00	20/29/35/40	0.00	25.00	20/29/35/41
1.10	27	0.00	25.00	21/29/35/40	0.00	25.00	20/29/35/41	0.00	25.00	21/29/35/41
1.10	28	0.00	25.00	21/29/35/40	0.00	25.00	21/29/35/41	0.00	25.00	21/30/36/42
1.10	29	0.00	25.00	21/29/35/41	0.00	25.00	21/29/35/41	0.00	26.00	21/30/36/42
1.10	30	0.00	25.00	21/29/35/41	0.00	25.00	21/29/35/41	0.00	26.00	21/30/36/42
1.20	3	0.06	21.00	20/20/20/23	0.28	21.00	20/20/21/23	0.68	21.00	20/20/21/24
1.20	4	0.00	21.00	20/20/21/25	0.06	21.00	20/20/22/25	0.28	21.00	20/20/22/26
1.20	5	0.00	21.00	20/20/22/26	0.00	21.00	20/20/22/26	0.09	21.00	20/20/23/27
1.20	6	0.00	21.00	20/20/23/27	0.00	21.00	20/20/23/27	0.03	22.00	20/20/24/28
1.20	7	0.00	22.00	20/20/24/28	0.00	22.00	20/20/24/28	0.00	22.00	20/21/24/29
1.20	8	0.00	22.00	20/21/24/28	0.00	22.00	20/21/24/29	0.00	22.00	20/21/25/29
1.20	9	0.00	22.00	20/21/25/29	0.00	22.00	20/21/25/29	0.00	22.00	20/21/26/30
1.20	10	0.00	22.00	20/21/25/29	0.00	22.00	20/21/25/30	0.00	22.00	20/22/26/30
1.20	11	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/31
1.20	12	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/31	0.00	22.00	20/22/27/31
1.20	13	0.00	22.00	20/22/27/31	0.00	22.00	20/22/27/31	0.00	22.00	20/23/27/32
1.20	14	0.00	22.00	20/23/27/31	0.00	22.00	20/23/27/31	0.00	23.00	20/23/28/32
1.20	15	0.00	22.00	20/23/27/31	0.00	22.00	20/23/27/32	0.00	23.00	20/23/28/32
1.20	16	0.00	23.00	20/23/27/32	0.00	23.00	20/23/28/32	0.00	23.00	20/23/28/33
1.20	17	0.00	23.00	20/23/28/32	0.00	23.00	20/23/28/32	0.00	23.00	20/24/28/33
1.20	18	0.00	23.00	20/23/28/32	0.00	23.00	20/23/28/33	0.00	23.00	20/24/29/33
1.20	19	0.00	23.00	20/24/28/33	0.00	23.00	20/24/28/33	0.00	23.00	20/24/29/33

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.20	20	0.00	23.00	20/24/28/33	0.00	23.00	20/24/29/33	0.00	23.00	20/24/29/34
1.20	21	0.00	23.00	20/24/29/33	0.00	23.00	20/24/29/33	0.00	23.00	20/24/29/34
1.20	22	0.00	23.00	20/24/29/33	0.00	23.00	20/24/29/34	0.00	23.00	20/25/29/34
1.20	23	0.00	23.00	20/24/29/34	0.00	23.00	20/24/29/34	0.00	23.00	20/25/30/34
1.20	24	0.00	23.00	20/25/29/34	0.00	23.00	20/25/29/34	0.00	23.00	20/25/30/35
1.20	25	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/35
1.20	26	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/35
1.20	27	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/35
1.20	28	0.00	23.00	20/25/30/34	0.00	23.00	20/25/30/35	0.00	23.00	20/25/31/35
1.20	29	0.00	23.00	20/25/30/35	0.00	23.00	20/25/30/35	0.00	24.00	20/26/31/35
1.20	30	0.00	23.00	20/25/30/35	0.00	23.00	20/25/30/35	0.00	24.00	20/26/31/36
1.30	3	0.02	21.00	20/20/20/21	0.10	21.00	20/20/20/21	0.28	21.00	20/20/20/21
1.30	4	0.00	21.00	20/20/20/22	0.01	21.00	20/20/20/22	0.10	21.00	20/20/20/23
1.30	5	0.00	21.00	20/20/20/23	0.00	21.00	20/20/20/23	0.02	21.00	20/20/21/23
1.30	6	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24
1.30	7	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/22/25
1.30	8	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25
1.30	9	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/26
1.30	10	0.00	21.00	20/20/22/26	0.00	21.00	20/20/22/26	0.00	21.00	20/20/23/26
1.30	11	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/27
1.30	12	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/27	0.00	22.00	20/20/24/27
1.30	13	0.00	21.00	20/20/23/27	0.00	21.00	20/20/23/27	0.00	22.00	20/20/24/27
1.30	14	0.00	22.00	20/20/24/27	0.00	22.00	20/20/24/27	0.00	22.00	20/21/24/28
1.30	15	0.00	22.00	20/21/24/27	0.00	22.00	20/21/24/28	0.00	22.00	20/21/24/28



Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.30	16	0.00	22.00	20/21/24/28	0.00	22.00	20/21/24/28	0.00	22.00	20/21/25/28
1.30	17	0.00	22.00	20/21/24/28	0.00	22.00	20/21/24/28	0.00	22.00	20/21/25/29
1.30	18	0.00	22.00	20/21/25/28	0.00	22.00	20/21/25/28	0.00	22.00	20/21/25/29
1.30	19	0.00	22.00	20/21/25/28	0.00	22.00	20/21/25/29	0.00	22.00	20/21/25/29
1.30	20	0.00	22.00	20/21/25/29	0.00	22.00	20/21/25/29	0.00	22.00	20/22/25/29
1.30	21	0.00	22.00	20/22/25/29	0.00	22.00	20/21/25/29	0.00	22.00	20/22/26/29
1.30	22	0.00	22.00	20/22/25/29	0.00	22.00	20/22/25/29	0.00	22.00	20/22/26/30
1.30	23	0.00	22.00	20/22/26/29	0.00	22.00	20/22/26/29	0.00	22.00	20/22/26/30
1.30	24	0.00	22.00	20/22/26/29	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30
1.30	25	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30
1.30	26	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30
1.30	27	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30	0.00	22.00	20/22/27/31
1.30	28	0.00	22.00	20/22/26/30	0.00	22.00	20/22/26/30	0.00	22.00	20/23/27/31
1.30	29	0.00	22.00	20/23/26/30	0.00	22.00	20/22/26/30	0.00	22.00	20/23/27/31
1.30	30	0.00	22.00	20/23/27/30	0.00	22.00	20/23/27/31	0.00	22.00	20/23/27/31
1.40	3	0.01	21.00	20/20/20/20	0.03	21.00	20/20/20/20	0.10	21.00	20/20/20/20
1.40	4	0.00	21.00	20/20/20/20	0.01	21.00	20/20/20/20	0.03	21.00	20/20/20/20
1.40	5	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/21	0.01	21.00	20/20/20/21
1.40	6	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21
1.40	7	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22
1.40	8	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22
1.40	9	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/23
1.40	10	0.00	21.00	20/20/20/23	0.00	21.00	20/20/20/23	0.00	21.00	20/20/21/23
1.40	11	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.40	12	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/24
1.40	13	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24
1.40	14	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24
1.40	15	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/22/25
1.40	16	0.00	21.00	20/20/22/24	0.00	21.00	20/20/22/24	0.00	21.00	20/20/22/25
1.40	17	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25
1.40	18	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25
1.40	19	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25
1.40	20	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/26
1.40	21	0.00	21.00	20/20/22/25	0.00	21.00	20/20/22/25	0.00	21.00	20/20/23/26
1.40	22	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26
1.40	23	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26
1.40	24	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26
1.40	25	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26
1.40	26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/27
1.40	27	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/27
1.40	28	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/26	0.00	21.00	20/20/23/27
1.40	29	0.00	21.00	20/20/23/27	0.00	21.00	20/20/23/27	0.00	22.00	20/20/24/27
1.40	30	0.00	21.00	20/20/24/27	0.00	21.00	20/20/23/27	0.00	22.00	20/21/24/27
1.50	3	0.00	21.00	20/20/20/20	0.01	21.00	20/20/20/20	0.03	21.00	20/20/20/20
1.50	4	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20	0.01	21.00	20/20/20/20
1.50	5	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20
1.50	6	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20
1.50	7	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20

Table 1: Sequential Bayes Factors for two group means: Full results  
for all simulated conditions

d	Boundary	% err	$r = \sqrt{2}/2$		% err	$r = 1$		% err	$r = \sqrt{2}$	
			ASN	Quantiles		ASN	Quantiles		ASN	Quantiles
1.50	8	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20
1.50	9	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/20	0.00	21.00	20/20/20/21
1.50	10	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21
1.50	11	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21
1.50	12	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21
1.50	13	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/21	0.00	21.00	20/20/20/22
1.50	14	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22
1.50	15	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22
1.50	16	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22
1.50	17	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22
1.50	18	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/23
1.50	19	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/22	0.00	21.00	20/20/20/23
1.50	20	0.00	21.00	20/20/20/23	0.00	21.00	20/20/20/23	0.00	21.00	20/20/20/23
1.50	21	0.00	21.00	20/20/20/23	0.00	21.00	20/20/20/23	0.00	21.00	20/20/21/23
1.50	22	0.00	21.00	20/20/21/23	0.00	21.00	20/20/20/23	0.00	21.00	20/20/21/23
1.50	23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23
1.50	24	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23
1.50	25	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23
1.50	26	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/24
1.50	27	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/23	0.00	21.00	20/20/21/24
1.50	28	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24
1.50	29	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24
1.50	30	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24	0.00	21.00	20/20/21/24